

8. STOP-STOP & WASTE VALVES

8.1. STOP & WASTE VALVES



Threaded

FEATURE

BRASS MATERIAL


THREADED

THREADED & WASTE



Threaded & Waste

NSF/ANSI 61
NSF/ANSI 372
LOW LEAD
AB 1953



MATERIAL SPECIFICATION

NO	PARTS	BRASS REGULAR	BRASS NO LEAD
1	WHEEL NUT	HOT ROLLED (SAE 1010R)	HOT ROLLED (SAE 1010R)
2	NAME PLATE	ALUMINIUM (A1100)	ALUMINIUM (A1100)
3	HANDWHEEL	CAST IRON (JIS Z22202)	CAST IRON (JIS Z22202)
	CROSS HANDLE	BRASS (C85700)	BRASS (C85700)
	PEGLER HANDLE	CAST IRON (JIS Z22202)	CAST IRON (JIS Z22202)
4	PACKING NUT	BRASS (C37700)	BRASS (C37700)
5	GLAND PACKING	TEFLON POLYFLON (PTFE M-392)	TEFLON POLYFLON (PTFE M-392)
		GRAPHITE (LK 33 NAFG)	GRAPHITE (LK 33 NAFG)
		RUBBER (NBR) SN-719F	RUBBER (NBR) SN-719F
		RUBBER (NBR) SN-819F	RUBBER (NBR) SN-819F
6	BONNET	BRASS (C85700)	BRASS (C46400 MOD)
7	STEM	BRASS (C85700)	BRASS (C46400 MOD)
8	SEAT PACKING	RUBBER (NBR) SN-819F	RUBBER (NBR) SN-819F
9	SEAT SCREW	BRASS (C26000)	BRASS (C26000)
10	BODY	BRASS (C85700)	BRASS (C46400 MOD)
11	PACKING	RUBBER (NBR) SN-719F	RUBBER (NBR) SN-719F
12	DRAIN CAP	BRASS (C37700)	BRASS (C37700)

CERTIFIED UNDER

C CSA US, NSF / ANSI 61

NSF / ANSI 372, AB 1953

ITEM NO.	SIZE	DIMENSION (mm)				PART NO.	QUANTITY	
		L	L1	H	D		IB	OB
Threaded								
MV 0 / MV 0 NL	3/8"	52	-	64	53	1, 2, 3, 4, 5, 6, 7, 8, 9, 10	10	100
MV 1 / MV 1 NL	1/2"	54	-	64	53	1, 2, 3, 4, 5, 6, 7, 8, 9, 10	10	100
MV 2 / MV 2 NL	3/4"	56	-	64	53	1, 2, 3, 4, 5, 6, 7, 8, 9, 10	10	100
Threaded & Waste								
MV 0W / MV 0W NL	3/8"	52	24	64	53	ALL	10	100
MV 3 / MV 3 NL	1/2"	54	24	64	53	ALL	10	100
MV 4 / MV 4 NL	3/4"	56	24	64	53	ALL	10	100

8.2. STOP VALVES FEMALE X MALE


FEATURE

BRASS MATERIAL

FIP X MIP



NSF/ANSI 61
NSF/ANSI 372
LOW LEAD
AB 1953 ✓



MATERIAL SPECIFICATION

NO	PARTS	BRASS REGULAR	BRASS NO LEAD
1	WHEEL NUT	HOT ROLLED (SAE 1010R)	HOT ROLLED (SAE 1010R)
2	NAME PLATE	ALUMINIUM (A1100)	ALUMINIUM (A1100)
3	HANDWHEEL	CAST IRON (JIS ZZ2202)	CAST IRON (JIS ZZ2202)
	CROSS HANDLE	BRASS C85700	BRASS C85700
4	PEGLER HANDLE	CAST IRON (JIS ZZ2202)	CAST IRON (JIS ZZ2202)
	PACKING NUT	BRASS (C37700)	BRASS (C37700)
5	GLAND PACKING	TEFLON POLYFLON (PTFE M-392)	TEFLON POLYFLON (PTFE M-392)
		GRAPHITE (LK 33 NAFG)	GRAPHITE (LK 33 NAFG)
		RUBBER (NBR) SN-719F	RUBBER (NBR) SN-719F
6	BONNET	BRASS (C85700)	BRASS (C46400 MOD)
7	STEM	BRASS (C85700)	BRASS (C46400 MOD)
8	SEAT HOLDER	BRASS (C85700)	BRASS (C46400 MOD)
9	SEAT PACKING	RUBBER (NBR) SN-819F	RUBBER (NBR) SN-819F
10	BODY	BRASS (C85700)	BRASS (C46400 MOD)
CERTIFIED UNDER		NSF / ANSI 61	NSF / ANSI 372, AB 1953

ITEM NO.	SIZE	DIMENSION (mm)			PART NO.	QUANTITY	
		L	H	D		IB	OB
MV 1A / MV 1A NL	1/2" FIP X 1/2" MIP	61	66	53	ALL	10	100
MV 2A / MV 2A NL	3/4" FIP X 3/4" MIP	65.3	66	53	ALL	10	100



PT. EVER AGE VALVES METALS
GRESIK - INDONESIA

PHONE : 62-31-8976388
62-31-8978388
62-31-8972988

FAX : 62-31-8977288 / 62-31-8982899
E-MAIL : everagevalvesmetals@gmail.com
Website : www.everagevalves.com

8.3. STOP & WASTE VALVES



FCXC

NSF/ANSI 61
NSF/ANSI 372
LOW LEAD
AB1953



FEATURE



BRASS MATERIAL

FCXC

FCXC & WASTE



FCXC & WASTE



MATERIAL SPECIFICATION

NO	PARTS	BRASS REGULAR	BRASS NO LEAD
1	WHEEL NUT	HOT ROLLED (SAE 1010R)	HOT ROLLED (SAE 1010R)
2	NAME PLATE	ALUMINIUM (A1100)	ALUMINIUM (A1100)
3	HANDWHEEL	CAST IRON (JIS ZZ2202)	CAST IRON (JIS ZZ2202)
	CROSS HANDLE	BRASS C85700	BRASS C85700
4	PEGLER HANDLE	CAST IRON (JIS ZZ2202)	CAST IRON (JIS ZZ2202)
	PACKING NUT	BRASS (C37700)	BRASS (C37700)
5	GLAND PACKING	TEFLON POLYFLON (PTFE M-392)	TEFLON POLYFLON (PTFE M-392)
		GRAPHITE (LK 33 NAFG)	GRAPHITE (LK 33 NAFG)
		RUBBER (NBR) SN-719F	RUBBER (NBR) SN-719F
6	BONNET	BRASS (C85700)	BRASS (C46400 MOD)
7	STEM	BRASS (C85700)	BRASS (C46400 MOD)
8	SEAT PACKING	RUBBER (NBR) SN-819F	RUBBER (NBR) SN-819F
9	SEAT SCREW	BRASS (C26000)	BRASS (C26000)
10	BODY	BRASS (C85700)	BRASS (C46400 MOD)
11	PACKING	RUBBER (NBR) SN-719F	RUBBER (NBR) SN-719F
12	DRAIN CAP	BRASS (C37700)	BRASS (C37700)
CERTIFIED UNDER		C CSA US, NSF / ANSI 61	NSF / ANSI 372, AB 1953

ITEM NO.	SIZE	DIMENSION (mm)				PART NO.	QUANTITY	
		L	L1	H	D		IB	OB
FCXC								
MV 5 / MV 5 NL	1/2" FCXC	54	-	64	53	1, 2, 3, 4, 5, 6, 7, 8, 9, 10	10	100
MV 6 / MV 6 NL	3/4" FCXC	68	-	64	53	1, 2, 3, 4, 5, 6, 7, 8, 9, 10	10	100
MV 13 / MV 13 NL	3/8" FCXC	49	-	64	53	1, 2, 3, 4, 5, 6, 7, 8, 9, 10	10	100
FCXC & WASTE								
MV 7 / MV 7 NL	1/2" FCXC & WASTE	54	24	64	53	ALL	10	100
MV 8 / MV 8 NL	3/4" FCXC & WASTE	68	25	64	53	ALL	10	100
MV 14 / MV 14 NL	3/8" FCXC & WASTE	49	24	64	53	ALL	10	100



PT. EVER AGE VALVES METALS
GRESIK - INDONESIA

PHONE : 62-31-8976388
62-31-8978388
62-31-8972988

FAX : 62-31-8977288 / 62-31-8982899
E-MAIL : everagevalvesmetals@gmail.com
Website : www.everagevalves.com

8.4. STOP & WASTE VALVES WITH COMP. NUT



COMPRESSION NUT
MV 9, 10

NSF/ANSI 61
NSF/ANSI 372
LOW LEAD
AB 1953



FEATURE


BRASS MATERIAL

COMPRESSION NUT

COMPRESSION NUT & WASTE



COMPRESSION NUT & WASTE
MV 11, 12



MATERIAL SPECIFICATION

NO	PARTS	BRASS REGULAR	BRASS NO LEAD
1	WHEEL NUT	HOT ROLLED (SAE 1010R)	HOT ROLLED (SAE 1010R)
2	NAME PLATE	ALUMINIUM (A1100)	ALUMINIUM (A1100)
3	HANDWHEEL	CAST IRON (JIS ZZ2202)	CAST IRON (JIS ZZ2202)
3	CROSS HANDLE	BRASS (C85700)	BRASS (C85700)
3	PEGLER HANDLE	CAST IRON (JIS ZZ2202)	CAST IRON (JIS ZZ2202)
4	PACKING NUT	BRASS (C37700)	BRASS (C37700)
5	GLAND PACKING	TEFLON POLYFLON (PTFE M-392) GRAPHITE (LK 33 NAFG) RUBBER (NBR) SN-719F	TEFLON POLYFLON (PTFE M-392) GRAPHITE (LK 33 NAFG) RUBBER (NBR) SN-719F
6	BONNET	BRASS (C85700)	BRASS (C46400 MOD)
7	STEM	BRASS (C85700)	BRASS (C46400 MOD)
8	SEAT PACKING	RUBBER (NBR) SN-819F	RUBBER (NBR) SN-819F
9	SEAT SCREW	BRASS (C26000)	BRASS (C26000)
10	BODY	BRASS (C85700)	BRASS (C46400 MOD)
11	SLEEVE	BRASS (C37700)	BRASS (C46400)
12	PACKING NUT	BRASS (C37700)	BRASS (C37700)
13	PACKING	RUBBER (NBR) SN-719F	RUBBER (NBR) SN-719F
14	DRAIN CAP	BRASS (C37700)	BRASS (C37700)
CERTIFIED UNDER		C CSA US, NSF / ANSI 61	NSF / ANSI 372, AB 1953

ITEM NO.	SIZE	DIMENSION (mm)				PART NO.	QUANTITY	
		L	L1	H	D		IB	OB
MV 9 / MV 9 NL	5/8" OD(COMP)	63	24	51	53	1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12	10	100
MV 10 / MV 10 NL	7/8" OD(COMP)	77	27	51	53	1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12	10	100
MV 11 / MV 11 NL	5/8" OD(COMP)	63	24	51	53	ALL	10	100
MV 12 / MV 12 NL	7/8" OD(COMP)	77	27	51	53	ALL	10	100



PT. EVER AGE VALVES METALS
GRESIK - INDONESIA

PHONE : 62-31-8976388
62-31-8978388
62-31-8972988

FAX : 62-31-8977288 / 62-31-8982899
E-MAIL : everagevalvesmetals@gmail.com
Website : www.everagevalves.com

8.5. STOP & WASTE VALVES WITH CPVC COUPLING PIPE PVC



MV 9, 10 CPVC

FEATURE

BRASS MATERIAL


COMPRESSION NUT

COMPRESSION NUT & WASTE

LOW LEAD
AB 1953



MV 11, 12 CPVC



MATERIAL SPECIFICATION

NO	PARTS	BRASS REGULAR	BRASS NO LEAD
1	WHEEL NUT	HOT ROLLED (SAE 1010R)	HOT ROLLED (SAE 1010R)
2	NAME PLATE	ALUMINIUM (A1100)	ALUMINIUM (A1100)
3	HANDWHEEL	CAST IRON (JIS ZZ2202)	CAST IRON (JIS ZZ2202)
	CROSS HANDLE	BRASS (C85700)	BRASS (C85700)
	PEGLER HANDLE	CAST IRON (JIS ZZ2202)	CAST IRON (JIS ZZ2202)
4	PACKING NUT	BRASS (C37700)	BRASS (C37700)
5	GLAND PACKING	TEFLON POLYFLON (PTFE M-392)	TEFLON POLYFLON (PTFE M-392)
		GRAPHITE (LK 33 NAFG)	GRAPHITE (LK 33 NAFG)
		RUBBER (NBR) SN-719F	RUBBER (NBR) SN-719F
6	BONNET	BRASS (C85700)	BRASS (C46400 MOD)
7	STEM	BRASS (C85700)	BRASS (C46400 MOD)
8	SEAT PACKING	RUBBER (NBR) SN-819F	RUBBER (NBR) SN-819F
9	SEAT SCREW	BRASS (C26000)	BRASS (C26000)
10	BODY	BRASS (C85700)	BRASS (C46400 MOD)
11	O RING	RUBBER (NBR) SN-719F	RUBBER (NBR) SN-719F
12	PIPE	CPVC (ASTM D2846)	CPVC (ASTM D2846)
13	PACKING NUT	BRASS (C37700)	BRASS (C37700)
14	PACKING	RUBBER (NBR) SN-719F	RUBBER (NBR) SN-719F
15	DRAIN CAP	BRASS (C37700)	BRASS (C37700)
CERTIFIED UNDER		AB 1953	

ITEM NO.	SIZE	DIMENSION (mm)				PART NO.	QUANTITY	
		L	L1	H	D		IB	OB
MV 9 CPVC / MV 9 CPVC NL	5/8" OD(COMP)	126.5	24	64	53	1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12,13	10	100
MV 10 CPVC / MV 10 CPVC NL	7/8" OD(COMP)	128	27	64	53	1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12,13	10	100
MV 11 CPVC / MV 11 CPVC NL	5/8" OD(COMP)	126.5	24	64	53	ALL	10	100
MV 12 CPVC / MV 12 CPVC NL	7/8" OD(COMP)	128	27	64	53	ALL	10	100

8.6. STOP ANGLE VALVES



FCXC

NSF/ANSI 61
NSF/ANSI 372
LOW LEAD
AB 1953



FEATURE



BRASS MATERIAL

FCXC

FCXC & WASTE



FCXC & WASTE



MATERIAL SPECIFICATION

NO	PARTS	BRASS REGULAR	BRASS NO LEAD
1	WHEEL NUT	HOT ROLLED (SAE 1010R)	HOT ROLLED (SAE 1010R)
2	NAME PLATE	ALUMINIUM (A1100)	ALUMINIUM (A1100)
3	HANDWHEEL	CAST IRON (JIS ZZ2202)	CAST IRON (JIS ZZ2202)
	CROSS HANDLE	BRASS (C85700)	BRASS (C85700)
	PEGLER HANDLE	CAST IRON (JIS ZZ2202)	CAST IRON (JIS ZZ2202)
4	PACKING NUT	BRASS (C37700)	BRASS (C37700)
5	GLAND PACKING	TEFLON POLYFLON (PTFE M-392)	TEFLON POLYFLON (PTFE M-392)
		GRAPHITE (LK 33 NAFG)	GRAPHITE (LK 33 NAFG)
		RUBBER (NBR) SN-719F	RUBBER (NBR) SN-719F
6	BONNET	BRASS (C85700)	BRASS (C46400 MOD)
7	STEM	BRASS (C85700)	BRASS (C46400 MOD)
8	SEAT PACKING	RUBBER (NBR) SN-819F	RUBBER (NBR) SN-819F
9	SEAT SCREW	BRASS (C26000)	BRASS (C26000)
10	BODY	BRASS (C85700)	BRASS (C46400 MOD)
11	PACKING	RUBBER (NBR) SN-719F	RUBBER (NBR) SN-719F
12	DRAIN CAP	BRASS (C37700)	BRASS (C37700)
CERTIFIED UNDER		NSF / ANSI 61	NSF / ANSI 372, AB 1953

ITEM NO.	SIZE	DIMENSION (mm)				PART NO.	QUANTITY	
		L	L1	H	D		IB	OB
FCXC								
MV 15 / MV 15 NL	1/2" FCXC	24.5	-	64	53	1,2,3,4,5,6,7,8,9,10		
MV 16 / MV 16 NL	3/4" FCXC	35	-	64	53	1,2,3,4,5,6,7,8,9,10		
FCXC & WASTE								
MV 17 / MV 17 NL	1/2"FCXC & WASTE	24.5	25.5	64	53	ALL		
MV 18 / MV 18 NL	3/4"FCXC & WASTE	35	25.5	64	53	ALL		


8.7. STOP & WASTE VALVES

FEATURE

BRASS MATERIAL

FCXC & WASTE

LOW LEAD
AB 1953



MATERIAL SPECIFICATION

NO	PARTS	BRASS REGULAR	BRASS NO LEAD
1	WHEEL NUT	HOT ROLLED (SAE 1010R)	HOT ROLLED (SAE 1010R)
2	NAME PLATE	ALUMINIUM (A1100)	ALUMINIUM (A1100)
3	HANDWHEEL	CAST IRON (JIS ZZ2202)	CAST IRON (JIS ZZ2202)
	CROSS HANDLE	BRASS (C85700)	BRASS (C85700)
4	PEGLER HANDLE	CAST IRON (JIS ZZ2202)	CAST IRON (JIS ZZ2202)
	PACKING NUT	BRASS (C85700)	BRASS (C85700)
5	GLAND PACKING	TEFLON POLYFLON (PTFE M-392)	TEFLON POLYFLON (PTFE M-392)
		GRAPHITE (LK 33 NAFG)	GRAPHITE (LK 33 NAFG)
		RUBBER (NBR) SN-719F	RUBBER (NBR) SN-719F
6	WASHER	STAINLESS STEEL (304)	STAINLESS STEEL (304)
7	BONNET	BRASS (C85700)	BRASS (C46400 MOD)
8	PACKING	FIBRE	FIBRE
9	STEM	BRASS (C85700)	BRASS (C46400 MOD)
10	SEAT PACKING	RUBBER (NBR) SN-819F	RUBBER (NBR) SN-819F
11	WASHER	BRASS (C37700)	BRASS (C46400 MOD)
12	SEAT SCREW	BRASS (C26000)	BRASS (C26000)
13	BODY	BRASS (C85700)	BRASS (C46400 MOD)
14	PACKING	RUBBER (NBR) SN-719F	RUBBER (NBR) SN-719F
15	DRAIN CAP	BRASS (C37700)	BRASS (C37700)
CERTIFIED UNDER		AB 1953	

ITEM NO.	SIZE	DIMENSION (mm)				PART NO.	QUANTITY	
		L	L1	H	D		IB	OB
MV 113 / MV 113 NL	1" FCXC	99	33.5	99.5	63	ALL	5	50



PT. EVER AGE VALVES METALS
GRESIK - INDONESIA

PHONE : 62-31-8976388
62-31-8978388
62-31-8972988

FAX : 62-31-8977288 / 62-31-8982899
E-MAIL : everagevalvesmetals@gmail.com
Website : www.everagevalves.com

8.8. STOP & WASTE VALVES WITH PEX



MVP 9, 10

FEATURE

BRASS MATERIAL




PEX (ASTM F 1807)& WASTE

PEX (ASTM F 1807) ENDS

NSF / ANSI 61
NSF / ANSI 372
LOW LEAD
AB 1953



MVP 11, 12



MATERIAL SPECIFICATION

NO	PARTS	BRASS REGULAR	BRASS NO LEAD
1	WHEEL NUT	HOT ROLLED (SAE 1010R)	HOT ROLLED (SAE 1010R)
2	NAME PLATE	ALUMINIUM (A1100)	ALUMINIUM (A1100)
3	HANDWHEEL	CAST IRON (JIS ZZ2202)	CAST IRON (JIS ZZ2202)
	CROSS HANDLE	BRASS (C85700)	BRASS (C85700)
4	PEGLER HANDLE	CAST IRON (JIS ZZ2202)	CAST IRON (JIS ZZ2202)
	PACKING NUT	BRASS (C37700)	BRASS (C37700)
5	GLAND PACKING	TEFLON POLYFLON (PTFE M-392)	TEFLON POLYFLON (PTFE M-392)
		GRAPHITE (LK 33 NAFG)	GRAPHITE (LK 33 NAFG)
		RUBBER (NBR) SN-719F	RUBBER (NBR) SN-719F
		RUBBER (NBR) SN-819F	RUBBER (NBR) SN-819F
6	BONNET	BRASS (C85700)	BRASS (C46400 MOD)
7	STEM	BRASS (C85700)	BRASS (C46400 MOD)
8	SEAT PACKING	RUBBER (NBR) SN-819F	RUBBER (NBR) SN-819F
9	SEAT SCREW	BRASS (C26000)	BRASS (C26000)
10	BODY	BRASS (C85700)	BRASS (C46400 MOD)
11	PACKING	RUBBER (NBR) SN-719F	RUBBER (NBR) SN-719F
12	DRAIN CAP	BRASS (C37700)	BRASS (C37700)
CERTIFIED UNDER		NSF / ANSI 61	NSF / ANSI 372, AB 1953

ITEM NO.	SIZE	DIMENSION (mm)				PART NO.	QUANTITY	
		L	L1	H	D		IB	OB
PEX								
MVP 9 / MVP 9 NL	1/2" PEX	91	-	64	53	1, 2, 3, 4, 5, 6, 7, 8, 9, 10	10	100
MVP 10 / MVP 10 NL	3/4" PEX	91	-	64	53	1, 2, 3, 4, 5, 6, 7, 8, 9, 10	10	100
PEX & WASTE								
MVP 11 / MVP 11 NL	1/2" PEX & WASTE	91	20	64	53	ALL	10	100
MVP 12 / MVP 12 NL	3/4" PEX & WASTE	91	20	64	53	ALL	10	100



PT. EVER AGE VALVES METALS
GRESIK - INDONESIA

PHONE : 62-31-8976388
62-31-8978388
62-31-8972988

FAX : 62-31-8977288 / 62-31-8982899
E-MAIL : everagevalvesmetals@gmail.com
Website : www.everagevalves.com

8.9. STOP VALVES HEAVY DUTY

8.9.1. STOP & WASTE VALVES



FIP

FEATURE

BRASS & BRONZE MATERIAL



FIP

FIP & WASTE

LOW LEAD
AB 1953



FIP & Waste



MATERIAL SPECIFICATION

NO	PARTS	BRASS REGULAR	BRONZE REGULAR	BRASS NO LEAD	BRONZE NO LEAD
1	HANDLE BOLT	HOT ROLLED (SAE 1010R) STAINLESS STEEL (304)	HOT ROLLED (SAE 1010R) STAINLESS STEEL (304)	HOT ROLLED (SAE 1010R) STAINLESS STEEL (304)	HOT ROLLED (SAE 1010R) STAINLESS STEEL (304)
2	NAME PLATE	ALUMINIUM (A1100)	ALUMINIUM (A1100)	ALUMINIUM (A1100)	ALUMINIUM (A1100)
3	ELIPS HANDLE	ZINC (Z30A)	ZINC (Z30A)	ZINC (Z30A)	ZINC (Z30A)
4	PACKING NUT	BRASS (C37700)	BRASS (C37700)	BRASS (C37700)	BRASS (C37700)
5	PACKING	GRAPHITE (LK 33 NAFG) TEFLON POLYFLON (PTFE M-392)	GRAPHITE (LK 33 NAFG) TEFLON POLYFLON (PTFE M-392)	GRAPHITE (LK 33 NAFG) TEFLON POLYFLON (PTFE M-392)	GRAPHITE (LK 33 NAFG) TEFLON POLYFLON (PTFE M-392)
6	BONNET	BRASS (C37700)	BRONZE (C84400) BRONZE (C83600)	BRASS (C46400 MOD)	BRONZE (C89844 MOD)
7	PACKING	POM M90 FORMOCON FM090 CF500P	POM M90 FORMOCON FM090 CF500P	POM M90 FORMOCON FM090 CF500P	POM M90 FORMOCON FM090 CF500P
8	STEM	BRASS (C85700)	BRONZE (C84400) BRONZE (C83600)	BRASS (C46400 MOD)	BRONZE (C89844 MOD)
9	SEAT PACKING	RUBBER (NBR) SN-819F	RUBBER (NBR) SN-819F	RUBBER (NBR) SN-819F	RUBBER (NBR) SN-819F
10	SEAT SCREW	BRASS (C26000) STAINLESS STEEL (304)	BRASS (C26000) STAINLESS STEEL (304)	BRASS (C26000) STAINLESS STEEL (304)	BRASS (C26000) STAINLESS STEEL (304)
11	BODY	BRASS (C85700)	BRONZE (C84400) BRONZE (C83600)	BRASS (C46400 MOD)	BRONZE (C89844 MOD)
12	PACKING	RUBBER (NBR) SN-719F	RUBBER (NBR) SN-719F	RUBBER (NBR) SN-719F	RUBBER (NBR) SN-719F
13	DRAIN CAP	BRASS (C37700)	BRASS (C37700)	BRASS (C37700)	BRASS (C37700)
CERTIFIED UNDER				AB 1953	AB 1953

ITEM NO.	SIZE	DIMENSION (mm)				PART NO.	QUANTITY	
		L	L1	H	D		IB	OB
FIP								
MVH 1 / MVH 1 NL	1/2" FIP	58		62.5	62	1, 2, 3, 4, 5, 6, 7, 8, 9, 10,11		
MVH 2 / MVH 2 NL	3/4" FIP	61		62.5	62	1, 2, 3, 4, 5, 6, 7, 8, 9, 10,11		

FIP & Waste								
MVH 3 / MVH 3 NL	1/2" FIP & WASTE	58	27	62.5	62	ALL		
MVH 4 / MVH 4 NL	3/4" FIP & WASTE	61	29	62.5	62	ALL		

8.9.2. STOP & WASTE VALVES HEAVY DUTY



FEATURE

BRASS & BRONZE MATERIAL




FCXC

FCXC & WASTE

LOW LEAD
AB 1953



FCXC & Waste



MATERIAL SPECIFICATION

NO	PARTS	BRASS REGULAR	BRONZE REGULAR	BRASS NO LEAD	BRONZE NO LEAD
1	HANDLE BOLT	HOT ROLLED (SAE 1010R) STAINLESS STEEL (304)	HOT ROLLED (SAE 1010R) STAINLESS STEEL (304)	HOT ROLLED (SAE 1010R) STAINLESS STEEL (304)	HOT ROLLED (SAE 1010R) STAINLESS STEEL (304)
2	NAME PLATE	ALUMINIUM (A1100)	ALUMINIUM (A1100)	ALUMINIUM (A1100)	ALUMINIUM (A1100)
3	ELIPS HANDLE	ZINC (Z30A)	ZINC (Z30A)	ZINC (Z30A)	ZINC (Z30A)
4	PACKING NUT	BRASS (C37700)	BRASS (C37700)	BRASS (C37700)	BRASS (C37700)
5	PACKING	GRAPHITE (LK 33 NAFG) TEFLON POLYFLON (PTFE M-392)	GRAPHITE (LK 33 NAFG) TEFLON POLYFLON (PTFE M-392)	GRAPHITE (LK 33 NAFG) TEFLON POLYFLON (PTFE M-392)	GRAPHITE (LK 33 NAFG) TEFLON POLYFLON (PTFE M-392)
6	BONNET	BRASS (C37700)	BRONZE (C84400) BRONZE (C83600)	BRASS (C46400 MOD)	BRONZE (C89844 MOD)
7	PACKING	POM M90 FORMOCON FM090 CF500P	POM M90 FORMOCON FM090 CF500P	POM M90 FORMOCON FM090 CF500P	POM M90 FORMOCON FM090 CF500P
8	STEM	BRASS (C85700)	BRONZE (C84400) BRONZE (C83600)	BRASS (C46400 MOD)	BRONZE (C89844 MOD)
9	SEAT PACKING	RUBBER (NBR) SN-819F	RUBBER (NBR) SN-819F	RUBBER (NBR) SN-819F	RUBBER (NBR) SN-819F
10	SEAT SCREW	BRASS (C26000) STAINLESS STEEL (304)	BRASS (C26000) STAINLESS STEEL (304)	BRASS (C26000) STAINLESS STEEL (304)	BRASS (C26000) STAINLESS STEEL (304)
11	BODY	BRASS (C85700)	BRONZE (C84400) BRONZE (C83600)	BRASS (C46400 MOD)	BRONZE (C89844 MOD)
12	PACKING	RUBBER (NBR) SN-719F	RUBBER (NBR) SN-719F	RUBBER (NBR) SN-719F	RUBBER (NBR) SN-719F
13	DRAIN CAP	BRASS (C37700)	BRASS (C37700)	BRASS (C37700)	BRASS (C37700)
CERTIFIED UNDER				AB 1953	AB 1953

ITEM NO.	SIZE	DIMENSION (mm)				PART NO.	QUANTITY	
		L	L1	H	D		IB	OB

FCXC

MVH 5 / MVH 5 NL	1/2" CXC	61		62.5	62	1, 2, 3, 4, 5, 6, 7, 8, 9, 10,11		
MVH 6 / MVH 6 NL	3/4" CXC	76		62.5	62	1, 2, 3, 4, 5, 6, 7, 8, 9, 10,11		


FCXC & Waste

MVH 7 / MVH 7 NL	1/2" CXC & WASTE	61	26	62.5	62	ALL		
MVH 8 / MVH 8 NL	3/4" CXC & WASTE	76	28.5	62.5	62	ALL		

8.9.3. STOP & WASTE VALVES WITH COMP. NUT HEAVY DUTY



Compression Nut



FEATURE

BRASS & BRONZE MATERIAL


COMPRESSION NUT

COMPRESSION NUT & WASTE

LOW LEAD
AB 1953



Compression Nut
&
Waste



MATERIAL SPECIFICATION

NO	PARTS	BRASS REGULAR	BRONZE REGULAR	BRASS NO LEAD	BRONZE NO LEAD
1	HANDLE BOLT	HOT ROLLED (SAE 1010R)	HOT ROLLED (SAE 1010R)	HOT ROLLED (SAE 1010R)	HOT ROLLED (SAE 1010R)
2	NAME PLATE	ALUMINIUM (A1100)	ALUMINIUM (A1100)	ALUMINIUM (A1100)	ALUMINIUM (A1100)
3	ELIPS HANDLE	ZINC (Z30A)	ZINC (Z30A)	ZINC (Z30A)	ZINC (Z30A)
4	PACKING NUT	BRASS (C37700)	BRASS (C37700)	BRASS (C37700)	BRASS (C37700)
5	PACKING	GRAPHITE (LK 33 NAFG)	GRAPHITE (LK 33 NAFG)	GRAPHITE (LK 33 NAFG)	GRAPHITE (LK 33 NAFG)
6	BONNET	TEFLON POLYFLON (PTFE M-392)	TEFLON POLYFLON (PTFE M-392)	TEFLON POLYFLON (PTFE M-392)	TEFLON POLYFLON (PTFE M-392)
7	PACKING	BRASS (C37700)	BRASS (C37700)	BRASS (C37700)	BRASS (C37700)
8	STEM	POM M90 FORMOCON FM090 CF500P	POM M90 FORMOCON FM090 CF500P	POM M90 FORMOCON FM090 CF500P	POM M90 FORMOCON FM090 CF500P
9	SEAT PACKING	BRASS (C85700)	BRASS (C85700)	BRASS (C85700)	BRASS (C85700)
10	SEAT SCREW	RUBBER (NBR) SN-819F	RUBBER (NBR) SN-819F	RUBBER (NBR) SN-819F	RUBBER (NBR) SN-819F
11	BODY	BRASS (C26000)	BRASS (C26000)	BRASS (C26000)	BRASS (C26000)
12	SLEEVE	STAINLESS STEEL (304)	STAINLESS STEEL (304)	STAINLESS STEEL (304)	STAINLESS STEEL (304)
13	PACKING NUT	BRASS (C84400)	BRASS (C84400)	BRASS (C84400)	BRASS (C84400)
14	PACKING	BRASS (C37700)	BRASS (C37700)	BRASS (C37700)	BRASS (C37700)
15	DRAIN CAP	RUBBER (NBR) SN-719F	RUBBER (NBR) SN-719F	RUBBER (NBR) SN-719F	RUBBER (NBR) SN-719F
CERTIFIED UNDER				AB 1953	AB 1953

ITEM NO.	SIZE	DIMENSION (mm)				PART NO.	QUANTITY	
		L	L1	H	D		IB	OB

Compression Nut

MVH 9 / MVH 9 NL	5/8" OD(COMP)	82		62.5	62	1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12,13		
MVH 10 / MVH 10 NL	7/8" OD(COMP)	82		62.5	62	1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12,13		

Compression Nut & Waste

MVH 11 / MVH 11 NL	5/8" OD(COMP)	82	26	62.5	62	ALL		
MVH 12 / MVH 12 NL	7/8" OD(COMP)	82	28.5	62.5	62	ALL		



PT. EVER AGE VALVES METALS
GRESIK - INDONESIA

PHONE : 62-31-8976388
62-31-8978388
62-31-8972988

FAX : 62-31-8977288 / 62-31-8982899
E-MAIL : everagevalvesmetals@gmail.com
Website : www.everagevalves.com