


12. SILLCOCK VALVES

12.1. SILLCOCK VALVES



FIP X MHT



FEATURE

BRASS MATERIAL


FIP X MHT

FCXC X MHT

NSF / ANSI 61
NSF / ANSI 372
LOW LEAD
AB 1953



FCXC X MHT



MATERIAL SPECIFICATION

NO	PARTS	BRASS REGULAR	BRASS NO LEAD
1	WHEEL NUT	HOT ROLLED (SAE 1010R)	HOT ROLLED (SAE 1010R)
2	NAME PLATE	ALUMINIUM (A1100)	ALUMINIUM (A1100)
3	HANDWHEEL	CAST IRON (JIS ZZ2202)	CAST IRON (JIS ZZ2202)
	CROSS HANDLE	BRASS (C85700)	BRASS (C85700)
4	PACKING NUT	BRASS (C37700)	BRASS (C37700)
5	GLAND PACKING	TEFLON POLYFLON (PTFE M-392) GRAPHITE (LK 33 NAFG) RUBBER (NBR) SN-719F	TEFLON POLYFLON (PTFE M-392) GRAPHITE (LK 33 NAFG) RUBBER (NBR) SN-719F
6	BONNET	BRASS (C85700)	BRASS (C46400 MOD)
7	STEM	BRASS (C85700)	BRASS (C46400 MOD)
8	SEAT PACKING	RUBBER (NBR) SN-819F	RUBBER (NBR) SN-819F
9	SEAT SCREW	BRASS (C26000)	BRASS (C26000)
10	BODY	BRASS (C85700)	BRASS (C46400 MOD)
CERTIFIED UNDER		C CSA US, NSF / ANSI 61	NSF / ANSI 372, AB 1953

ITEM NO.	SIZE	DIMENSION (mm)				PART NO.	QUANTITY	
		L	H	D	D1		IB	OB
MV 28 / MV 28 NL	1/2" FIP x 3/4" MHT	57	61	53	-	ALL	10	100
MV 29 / MV 29 NL	3/4" FIP x 3/4" MHT	61	61	53	-	ALL	10	100
MV 28 FO / MV 28FO NL	1/2" FIP x 3/4" MHT	61	61	53	50 X 79.5	ALL	10	100
MV 29 FO / MV 29FO NL	3/4" FIP x 3/4" MHT	61	61	53	50 X 79.5	ALL	10	100
MV 30 / MV 30 NL	1/2" FCXC x 3/4" MHT	54	61	53	-	ALL	10	100
MV 30SC / MV 30SC NL	1/2" FCXC x 3/4" MHT	54	61	53	55	ALL	10	100
MV 30A / MV 30A NL	3/4"MCXC & 1/2"FCXC x 3/4" MHT	54	61	53	55	ALL	10	100
MV 31 / MV 31 NL	3/4" FCXC x 3/4" MHT	63	61	53	-	ALL	10	100



PT. EVER AGE VALVES METALS
GRESIK - INDONESIA

PHONE : 62-31-8976388
62-31-8978388
62-31-8972988

FAX : 62-31-8977288 / 62-31-8982899
E-MAIL : everagevalvesmetals@gmail.com
Website : www.everagevalves.com

12.2. SILLCOOK VALVES



MB 28, 29

FEATURE

BRASS MATERIAL



FIP X MHT

FCXC X MHT

LOW LEAD
AB 1953



MB 30, 31



MATERIAL SPECIFICATION

NO	PARTS	BRASS REGULAR	BRASS NO LEAD
1	WHEEL NUT	HOT ROLLED (SAE 1010R)	HOT ROLLED (SAE 1010R)
2	NAME PLATE	ALUMINIUM (A1100)	ALUMINIUM (A1100)
3	HANDWHEEL	CAST IRON (JIS ZZ2202)	CAST IRON (JIS ZZ2202)
	CROSS HANDLE	BRASS (C85700)	BRASS (C85700)
	PAGLER HANDLE	CAST IRON (JIS ZZ2202)	CAST IRON (JIS ZZ2202)
4	BONNET	BRASS (C37700)	BRASS (C46400)
5	GLAND PACKING	RUBBER (NBR) SN-719F	RUBBER (NBR) SN-719F
6	WASHER	STAINLESS STEEL (304)	STAINLESS STEEL (304)
7	STEM	BRASS (C37700)	BRASS (C46400)
8	SEAT PACKING	RUBBER (NBR) SN-819F	RUBBER (NBR) SN-819F
9	SEAT SCREW	BRASS (C26000)	BRASS (C26000)
10	BODY	BRASS (C85700)	BRASS (C46400 MOD)
CERTIFIED UNDER		AB 1953	

ITEM NO.	SIZE	DIMENSION (mm)			PART NO	QUANTITY	
		L	H	D		IB	OB
MB 28 / MB 28 NL	1/2" FIP X 3/4" MHT	71.4	85	53	ALL		
MB 29 / MB 29 NL	3/4" FIP X 3/4" MHT	72.2	87	53	ALL		
MB 30 / MB 30 NL	1/2" FCXC X 3/4" MHT	78.7	84.5	53	ALL		
MB 30A / MB 30A NL	1/2" FCXC X 3/4" MHT	84.5	84.5	53	ALL		
MB 31 / MB 31 NL	3/4" FCXC X 3/4" MHT	80	84.5	53	ALL		

12.3. SILLCOOK VALVES



MB 28B, 29B

FEATURE

BRASS MATERIAL



FIP X MHT

FCXC X MHT



MB 30B, 31B

LOW LEAD
AB 1953



MATERIAL SPECIFICATION

NO	PARTS	BRASS REGULAR	BRASS NO LEAD
1	WHEEL NUT	HOT ROLLED (SAE 1010R)	HOT ROLLED (SAE 1010R)
2	NAME PLATE	ALUMINIUM (A1100)	ALUMINIUM (A1100)
3	HANDWHEEL	CAST IRON (JIS ZZ2202)	CAST IRON (JIS ZZ2202)
	CROSS HANDLE	BRASS (C85700)	BRASS (C85700)
	PAGLER HANDLE	CAST IRON (JIS ZZ2202)	CAST IRON (JIS ZZ2202)
4	PACKING NUT	BRASS (C37700)	BRASS (C37700)
5	GLAND PACKING	RUBBER (NBR) SN-719F	RUBBER (NBR) SN-719F
6	BONNET	BRASS (C85700)	BRASS (C46400 MOD)
7	GLAND PACKING	RUBBER (NBR) SN-719F	RUBBER (NBR) SN-719F
8	WASHER	STAINLESS STEEL (304)	STAINLESS STEEL (304)
9	STEM	BRASS (C37700)	BRASS (C46400)
10	SEAT PACKING	RUBBER (NBR) SN-819F	RUBBER (NBR) SN-819F
11	SEAT SCREW	BRASS (C26000)	BRASS (C26000)
12	BODY	BRASS (C85700)	BRASS (C46400 MOD)
CERTIFIED UNDER			AB 1953

ITEM NO.	SIZE	DIMENSION (mm)			PART NO	QUANTITY	
		L	H	D		IB	OB
MB 28B / MB 28B NL	1/2" FIP X 3/4" MHT	71.4	85	53	ALL		
MB 29B / MB 29B NL	3/4" FIP X 3/4" MHT	72.2	87	53	ALL		
MB 30B / MB 30B NL	1/2" FCXC X 3/4" MHT	78.7	84.5	53	ALL		
MB 30AB / MB 30AB NL	1/2" FCXC X 3/4" MHT	84.5	84.5	53	ALL		
MB 31B / MB 31B NL	3/4" FCXC X 3/4" MHT	80	84.5	53	ALL		

12.4. SILLCOCK VALVE

ECONOMIC STYLE



MV 282

FEATURE

BRASS MATERIAL



MIP & FCXC X MHT

PEX X MHT

LOW LEAD
AB 1953



MV 282 PX



MATERIAL SPECIFICATION

NO	PARTS	BRASS REGULAR	BRASS NO LEAD
1	WHEEL NUT	HOT ROLLED (SAE 1010R)	HOT ROLLED (SAE 1010R)
2	NAME PLATE	ALUMINIUM (A1100)	ALUMINIUM (A1100)
3	HANDWHEEL	CAST IRON (JIS ZZ2202)	CAST IRON (JIS ZZ2202)
	PEGLER HANDLE		
	CROSS HANDLE	BRASS (C85700)	BRASS (C85700)
4	BONNET	BRASS (C37700)	BRASS (C37700)
5	GLAND PACKING	RUBBER (NBR) SN-719F	RUBBER (NBR) SN-719F
6	WASHER	STAINLESS STEEL (304)	STAINLESS STEEL (304)
7	STEM	BRASS (C37700)	BRASS (C46400)
8	SEAT PACKING	RUBBER (NBR) SN-819F	RUBBER (NBR) SN-819F
9	SEAT SCREW	BRASS (C26000)	BRASS (C26000)
10	BODY	BRASS (C85700)	BRASS (C46400 MOD)
CERTIFIED UNDER			AB 1953

ITEM NO.	SIZE	DIMENSION (mm)			PART NO.	QUANTITY	
		L	D	H		IB	OB
MV 282 / MV 282 NL	1/2" MIP & 1/2" FCXC X 3/4" MHT	75	53	49	ALL		
MV 282 PX / MV 282 PX NL	1/2" PX X 3/4" MHT	86	53	49	ALL		



PT. EVER AGE VALVES METALS
GRESIK - INDONESIA

PHONE : 62-31-8976388
62-31-8978388
62-31-8972988

FAX : 62-31-8977288 / 62-31-8982899
E-MAIL : everagevalvesmetals@gmail.com
Website : www.everagevalves.com

12.5. SILLCOCK VALVES WITH O-RING



MVO/MVON 28-29

FEATURE

BRASS MATERIAL



FIP X MHT

FCXC X MHT

LOW LEAD
AB 1953



MVO/MVON 30-31



MATERIAL SPECIFICATION

NO	PARTS	BRASS REGULAR	BRASS NO LEAD
1	HANDLE BOLT WHEEL NUT	HOT ROLLED (SAE 1010R)	HOT ROLLED (SAE 1010R)
2	NAME PLATE	ALUMINIUM (A 1100)	ALUMINIUM (A 1100)
3	HANDWHEEL	ZINC (Z30A)	ZINC (Z30A)
4	BONNET	BRASS (C85700)	BRASS (C46400 MOD)
5	O - RING	RUBBER (NBR) SN-719F	RUBBER (NBR) SN-719F
6	STEM	BRASS (C37700)	BRASS (C46400)
7	SEAT PACKING	RUBBER (NBR) SN-819F	RUBBER (NBR) SN-819F
8	SEAT SCREW	BRASS (C26000)	BRASS (C26000)
9	BODY	BRASS (C85700)	BRASS (C46400 MOD)
CERTIFIED UNDER		C CSA US	AB 1953

ITEM NO.	SIZE	DIMENSION (mm)			PART NO.	QUANTITY	
		L	H	D		IB	OB
MVO/MVON 28 / 28 NL	1/2" FIP X 3/4" MHT	57	52	47.5	ALL	10	100
MVO/MVON 29 / 29 NL	3/4" FIP X 3/4" MHT	61	52	47.5	ALL	10	100
MVO/MVON 30 / 30 NL	1/2" FCXC X 3/4" MHT	54	52	47.5	ALL	10	100
MVO/MVON 31 / 31 NL	3/4" FCXC X 3/4" MHT	63	52	47.5	ALL	10	100



PT. EVER AGE VALVES METALS
GRESIK - INDONESIA

PHONE : 62-31-8976388
62-31-8978388
62-31-8972988

FAX : 62-31-8977288 / 62-31-8982899
E-MAIL : everagevalvesmetals@gmail.com
Website : www.everagevalves.com


12.6. SILLCOCK VALVES WITH PEX

FEATURE

BRASS MATERIAL

PEX (ASTM F 1807) X MHT

LOW LEAD
AB 1953



MATERIAL SPECIFICATION

NO	PARTS	BRASS REGULAR	BRASS NO LEAD
1	WHEEL NUT	HOT ROLLED (SAE 1010R)	HOT ROLLED (SAE 1010R)
2	NAME PLATE	ALUMINIUM (A1100)	ALUMINIUM (A1100)
3	HANDWHEEL	CAST IRON (JIS ZZ2202)	CAST IRON (JIS ZZ2202)
4	CROSS HANDLE	BRASS (C85700)	BRASS (C85700)
5	PACKING NUT	BRASS (C37700)	BRASS (C37700)
6	GLAND PACKING	TEFLON POLYFLON (PTFE M-392)	TEFLON POLYFLON (PTFE M-392)
7	BONNET	BRASS (C85700)	BRASS (C46400 MOD)
8	STEM	BRASS (C85700)	BRASS (C46400 MOD)
9	SEAT PACKING	RUBBER (NBR) SN-819F	RUBBER (NBR) SN-819F
10	SEAT SCREW	BRASS (C26000)	BRASS (C26000)
11	BODY	BRASS (C85700)	BRASS (C46400 MOD)
CERTIFIED UNDER		C CSA US	AB 1953

ITEM NO.	SIZE	DEMENSION (mm)			PART NO.	QUANTITY	
		L	H	D		IB	OB
MV 32 PX / MV 32 PX NL	1/2" PEX X 3/4" MHT	59.5	61	53	ALL		
MV 33 PX / MV 33 PX NL	3/4" PEX X 3/4" MHT	61.3	61	53	ALL		
MV 32 PX SCM / MV 32 PX SCM NL	1/2" PEX X 3/4" MHT	59.5	61	53	ALL		
MV 32 PFO / MV 32 PFO	1/2" PEX X 3/4" MHT	59.5	61	53	ALL		
MV 33 PFO / MV 33 PFO	3/4" PEX X 3/4" MHT	61	61	53	ALL		

PX SCM = PEX CONNECTION W/ FLANGE SCM VERSION
PFO = PEX CONNECTION W/ FLANGE OVAL

12.7. SILLCOCK VALVES HEAVY DUTY



HBH 28-29

FEATURE

BRASS & BRONZE MATERIAL



FIP X MHT

FCXC X MHT

NSF / ANSI 61
NSF / ANSI 372
LOW LEAD
AB 1953



HBH 30-31



MATERIAL SPECIFICATION


NO	PARTS	BRASS REGULAR	BRONZE REGULAR	BRASS NO LEAD	BRONZE NO LEAD
1	HANDLE BOLT	STAINLESS STEEL (304) HOT ROLLED (SAE 1010R)	STAINLESS STEEL (304) HOT ROLLED (SAE 1010R)	STAINLESS STEEL (304) HOT ROLLED (SAE 1010R)	STAINLESS STEEL (304) HOT ROLLED (SAE 1010R)
2	NAME PLATE	ALUMINIUM (A1100)	ALUMINIUM (A1100)	ALUMINIUM (A1100)	ALUMINIUM (A1100)
3	ELLIPSE HANDLE	ZINC (Z30A)	ZINC (Z30A)	ZINC (Z30A)	ZINC (Z30A)
4	PACKING NUT	BRASS (C37700)	BRASS (C37700)	BRASS (C37700)	BRASS (C37700)
5	GLAND PACKING	GRAPHITE (LK 33 NAFG) TEFLON POLYFLON (PTFE M-392)	GRAPHITE (LK 33 NAFG) TEFLON POLYFLON (PTFE M-392)	GRAPHITE (LK 33 NAFG) TEFLON POLYFLON (PTFE M-392)	GRAPHITE (LK 33 NAFG) TEFLON POLYFLON (PTFE M-392)
6	BONNET	BRASS (C37700)	BRASS (C37700)	BRASS (C46400)	BRASS (C46400)
7	PACKING	POM M90 FORMOCON FM090 CF500P	POM M90 FORMOCON FM090 CF500P	POM M90 FORMOCON FM090 CF500P	POM M90 FORMOCON FM090 CF500P
8	STEM	BRASS (C37700)	BRASS (C37700)	BRASS (C46400)	BRASS (C46400)
9	SEAT PACKING	RUBBER (NBR) SN-819F	RUBBER (NBR) SN-819F	RUBBER (NBR) SN-819F	RUBBER (NBR) SN-819F
10	SEAT SCREW	STAINLESS STEEL (304) BRASS (C26000)	STAINLESS STEEL (304) BRASS (C26000)	STAINLESS STEEL (304) BRASS (C26000)	STAINLESS STEEL (304) BRASS (C26000)
11	BODY	BRASS (C85700)	BRONZE (C84400) BRONZE (C83600)	BRASS (C46400 MOD)	BRONZE (C89844 MOD)
CERTIFIED UNDER		C CSA US, NSF / ANSI 61		NSF / ANSI 372, AB 1953	AB 1953

ITEM NO.	SIZE	DIMENSION (mm)			PART NO.	QUANTITY	
		L	H	D		IB	OB
HBH 28 / HBH 28 NL	1/2" FIP X 3/4" MHT	70	62.5	62	ALL	6	36
HBH 29 / HBH 29 NL	3/4" FIP X 3/4" MHT	70	62.5	62	ALL	6	36
HBH 30 / HBH 30 NL	3/4"MCXC & 1/2" CXC X 3/4" MHT	73	62.5	62	ALL	6	36
HBH 31 / HBH 31 NL	3/4" FCXC X 3/4" MHT	74	62.5	62	ALL	6	36

12.8. SILLCOCK VALVES HEAVY DUTY WITH VACUUM BREAKER



HBH 30VB, 31VB



FEATURE

BRASS & BRONZE MATERIAL


FIP X MHT

FCXC X MHT

NSF / ANSI 61
NSF / ANSI 372
LOW LEAD
AB 1953



HBH 28VB, 29VB



MATERIAL SPECIFICATION


NO	PARTS	BRASS REGULAR	BRONZE REGULAR	BRASS NO LEAD	BRONZE NO LEAD
1	HANDLE BOLT	STAINLESS STEEL (304)	STAINLESS STEEL (304)	STAINLESS STEEL (304)	STAINLESS STEEL (304)
2	NAME PLATE	ALUMINIUM (A1100)	HOT ROLLED (SAE 1010R)	HOT ROLLED (SAE 1010R)	HOT ROLLED (SAE 1010R)
3	ELLIPSE HANDLE	ZINC (Z30A)	ALUMINIUM (A1100)	ALUMINIUM (A1100)	ALUMINIUM (A1100)
4	PACKING NUT	BRASS (C37700)	ZINC (Z30A)	ZINC (Z30A)	ZINC (Z30A)
5	GLAND PACKING	GRAPHITE (LK 33 NAFG)	BRASS (C37700)	BRASS (C37700)	BRASS (C37700)
6	BONNET	TEFLON POLYFLON (PTFE M-392)	GRAPHITE (LK 33 NAFG)	GRAPHITE (LK 33 NAFG)	GRAPHITE (LK 33 NAFG)
7	STEM	TEFLON POLYFLON (PTFE M-392)	TEFLON POLYFLON (PTFE M-392)	TEFLON POLYFLON (PTFE M-392)	TEFLON POLYFLON (PTFE M-392)
8	PACKING	BRASS (C37700)	BRASS (C37700)	BRASS (C46400)	BRASS (C46400)
9	SEAT PACKING	POM M90 FORMOCON FM090 CF500P	POM M90 FORMOCON FM090 CF500P	POM M90 FORMOCON FM090 CF500P	POM M90 FORMOCON FM090 CF500P
10	SEAT SCREW	RUBBER (NBR) SN-819F	RUBBER (NBR) SN-819F	RUBBER (NBR) SN-819F	RUBBER (NBR) SN-819F
11	BODY	STAINLESS STEEL (304)	STAINLESS STEEL (304)	STAINLESS STEEL (304)	STAINLESS STEEL (304)
12	WASHER	BRASS (C26000)	BRASS (C26000)	BRASS (C26000)	BRASS (C26000)
13	SEAT PACKING	BRASS (C85700)	BRONZE (C84400)	BRASS (C46400 MOD)	BRONZE (C89844 MOD)
14	SPRING SEAT	BRASS (C37700)	BRONZE (C83600)	BRASS (C46400)	BRASS (C46400)
15	SPRING	RUBBER (NBR) SN-719F	RUBBER (NBR) SN-719F	RUBBER (NBR) SN-719F	RUBBER (NBR) SN-719F
16	HOSE BODY	POM M90 FORMOCON FM090 CF500P	POM M90 FORMOCON FM090 CF500P	POM M90 FORMOCON FM090 CF500P	POM M90 FORMOCON FM090 CF500P
17	COVER	STAINLESS STEEL (304)	STAINLESS STEEL (304)	STAINLESS STEEL (304)	STAINLESS STEEL (304)
CERTIFIED UNDER		NSF / ANSI 61		NSF / ANSI 372, AB 1953	AB 1953

ITEM NO.	SIZE	DIMENSION (mm)			PART NO.	QUANTITY	
		L	H	D		IB	OB
HBH 28VB / HBH 28VB NL	1/2" FIP X 3/4" MHT	86.2	62.5	62	ALL	6	36
HBH 29VB / HBH 29VB NL	3/4" FIP X 3/4" MHT	86.2	62.5	62	ALL	6	36
HBH 30VB / HBH 30 VB NL	1/2" FCXC X 3/4" MHT	92.5	62.5	62	ALL	6	36
HBH 31VB / HBH 31 VBNL	3/4" FCXC X 3/4" MHT	92.5	62.5	62	ALL	6	36

12.9. SILLCOCK VALVES HEAVY DUTY WITH LOOSE KEY HANDLE



HBH 28-29K



FEATURE

BRASS & BRONZE MATERIAL


FIP X MHT

FCXC X MHT

LOW LEAD
AB 1953



HBH 30-31K



MATERIAL SPECIFICATION

NO	PARTS	BRASS REGULAR	BRONZE REGULAR	BRASS NO LEAD	BRONZE NO LEAD
1	T-HANDLE	ZINC (Z30A)	ZINC (Z30A)	ZINC (Z30A)	ZINC (Z30A)
2	PACKING NUT	BRASS (C26000)	BRASS (C26000)	BRASS (C26000)	BRASS (C26000)
3	GLAND PACKING	GRAPHITE (LK 33 NAFG)	GRAPHITE (LK 33 NAFG)	GRAPHITE (LK 33 NAFG)	GRAPHITE (LK 33 NAFG)
		TEFLON POLYFLON (PTFE M-392)	TEFLON POLYFLON (PTFE M-392)	TEFLON POLYFLON (PTFE M-392)	TEFLON POLYFLON (PTFE M-392)
4	BONNET	BRASS (C37700)	BRASS (C37700)	BRASS (C46400)	BRASS (C46400)
5	PACKING	POM M90 FORMOCON FM090 CF500P	POM M90 FORMOCON FM090 CF500P	POM M90 FORMOCON FM090 CF500P	POM M90 FORMOCON FM090 CF500P
6	STEM	BRASS (C37700)	BRASS (C37700)	BRASS (C46400)	BRASS (C46400)
7	SEAT PACKING	RUBBER (NBR) SN-819F	RUBBER (NBR) SN-819F	RUBBER (NBR) SN-819F	RUBBER (NBR) SN-819F
8	SEAT SCREW	STAINLESS STEEL (304)	STAINLESS STEEL (304)	STAINLESS STEEL (304)	STAINLESS STEEL (304)
		BRASS (C26000)	BRASS (C26000)	BRASS (C26000)	BRASS (C26000)
9	BODY	BRASS (C85700)	BRONZE (C84400) BRONZE (C83600)	BRASS (C46400 MOD)	BRONZE (C89844 MOD)
CERTIFIED UNDER		C CSA US		AB 1953	AB 1953

ITEM NO.	SIZE	DIMENSION (mm)			PART NO.	QUANTITY	
		L	H	D		IB	OB
HBH 28K / HBH 28K NL	1/2" FIP X 3/4" MHT	70	70	55	ALL	6	36
HBH 29K / HBH 29K NL	3/4" FIP X 3/4" MHT	70	70	55	ALL	6	36
HBH 30K / HBH 30K NL	1/2" FCXC X 3/4" MHT	73	70	55	ALL	6	36
HBH 31K / HBH 31K NL	3/4" FCXC X 3/4" MHT	74	70	55	ALL	6	36



PT. EVER AGE VALVES METALS
GRESIK - INDONESIA

PHONE : 62-31-8976388
62-31-8978388
62-31-8972988

FAX : 62-31-8977288 / 62-31-8982899
E-MAIL : everagevalvesmetals@gmail.com
Website : www.everagevalves.com